

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/666,771	09/18/2003	Roya Borazjani	P03191	1542
23702 75	90 07/27/2006	EXAMINER		INER
Bausch & Lomb Incorporated			BOYER, CHARLES I	
One Bausch & Lomb Place Rochester, NY 14604-2701			ART UNIT	PAPER NUMBER
,			1751	
			DATE MAILED: 07/27/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/666,771	BORAZJANI ET AL.				
Office Action Summary	Examiner	Art Unit				
	Charles I. Boyer	1751				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 18 Se	eptember 2003.					
·— ·	action is non-final.					
3) Since this application is in condition for allowar	nce except for formal matters, pro	secution as to the merits is				
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims						
4) Claim(s) <u>1-20</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6) Claim(s) <u>1-20</u> is/are rejected.		,				
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10)☐ The drawing(s) filed on is/are: a)☐ acce						
Applicant may not request that any objection to the	= : :					
Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Ex						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	H-(d) or (f).				
a) All b) Some * c) None of:	p					
,—	1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents	2. Certified copies of the priority documents have been received in Application No					
Copies of the certified copies of the prior	ity documents have been receive	ed in this National Stage				
application from the International Bureau	, , ,					
* See the attached detailed Office action for a list	of the certified copies not receive	d.				
Attachment(s) 1) X Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ate				
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 3/24/04.	5) Notice of Informal P 6) Other:	atent Application (PTO-152)				

Application/Control Number: 10/666,771

Art Unit: 1751

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Before citing the references against the present claims, the examiner would like to state for the record that due to the inordinate breadth of the present claims, the examiner maintains a thorough search is impossible. Poloxamers or Pluronics are extremely common nonionic surfactants for use in contact lens solutions, and the examiner estimates there are at least scores, if not hundreds of references that would anticipate at least claim 1 of the present invention. For purposes of this action, the examiner has taken into consideration the present invention as a whole, in order to identify the closest prior art, which art is cited below. Applicants should be aware, however, that there are many other references that could have been used. Any response to the references cited below that does not also address the fact that the claims are extremely broadly written, together with a clear statement of what applicants' consider to be the novelty of their invention, will not be successful in rendering these claims allowable.

Claims 1-8, 11-14, and 16-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Graham et al, US 6,063,745.

Application/Control Number: 10/666,771

Art Unit: 1751

Graham et al teach multi-purpose solutions for contact lens care, an example of which comprises 1 ppm polyhexamethylene biguanide (PHMB), 0.05% poloxamer, chelant, buffer, tonicity agent, and the balance water (col. 8, example 1). As this reference meets all material limitations of the claims at hand, the reference is anticipatory.

2. Claims 1-8 and 11-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Zhang et al, US 5,604,189.

Zhang et al teach a contact lens cleaner comprising cationic cellulose polymer, PHMB, 0.05% poloxamer, chelant, buffer, tonicity agent, and the balance water (col. 12, example 39). As this reference meets all material limitations of the claims at hand, the reference is anticipatory.

3. Claims 1-13 and 16-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Asgharian et al, US 6,228,323.

Asgharian et al teach multi-purpose solutions for contact lens care comprising polyquaternium-1, poloxamer, buffer, pH adjustor, and the balance water (col. 16, example 5). As this reference meets all material limitations of the claims at hand, the reference is anticipatory.

4. Claims 1-8, 11-14, and 16-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Soyer et al, US 6,207,628.

Application/Control Number: 10/666,771 Page 4

Art Unit: 1751

Soyer et al teach multi-purpose solutions for contact lens care, an example of which comprises PHMB, poloxamer, chelant, buffer, tonicity agent, and the balance water (col. 4, example). As this reference meets all material limitations of the claims at hand, the reference is anticipatory.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles I. Boyer whose telephone number is 571 272 1311. The examiner can normally be reached on M-Th 9:30 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Douglas McGinty can be reached on 571 272 1029. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Charles I Boyer
Primary Examiner
Art Unit 1751

Clark Boyls